

Wood burning heater Harvia Linear 22 GreenFlame ES

WKL120GESM

An elegant wood-burning heater for medium-sized saunas, Harvia Linear 22 GreenFlame ensures a clean and stable fire behind a large glass door, which creates a relaxing atmosphere in the sauna. You can now bathe with lower emissions than ever before.



Features

Main material : Steel

H x W x D : 770.0 x 450.0 x 660.0 mm

Net weight (kg) : 76.0

Stone amount (kg) : 40.0

ID	GTIN	Power	Sauna room size min - max m3
WKL120GESM	6417659041447	15.7 kW	9.0-18.0

Spare parts

Product	ID	Pcs
Ashpan ES/SL	Z2ES-125	
Furnace grate	ZKIP-10	
Connection pipe	ZKIP-130	
Water container lid 22 ES	ZROST-618	
Adjustable legs for LG150/SL	SPZKIP-918	
Nut R1/2 25mm	SPZES-250	
Water container lid, 22ES	SPZROST-618	
Hinge pin, long	SP675	
Extension 25 mm hot water faucet	SPZES-240	
Spare part, latching pin	SP674	
Cap for smoke hole (Ø 50 mm)	SPZKIP-170	
Water container 20 ES, stainless steel	SP035	
Big glass door	SP673	
Gasket for hot water faucet	SPZES-260	
Handle for door Legend GF	SP687	
Cast-iron grating 135x290mm, sauna heaters	SPZKIP-10	
Ash box, 20 ES/SL,ESGF	SP681	
Connection pipe 200 mm	SPZKIP-130	1
Blocking plug with screws	SPZROB-190	1

Technical details

Technical data	Type / attribute	WKL120GESM
Technical data	Color	Black
	Power output	15.7 kW
	Stone sizes	Ø10–15 cm
	Stone amount (kg)	40
	Dimensions	
Dimensions	Product width	450
	Product height	770
	Product depth (mm)	660
	Net weight (kg)	76
	Gross weight	79
	Package width	500
	Package height	785
	Package depth	740
Connections	Water container volume	20
	Flue connection locations	Back, Top
	Chimney connection diameter	115
Safety and installation dimensions	Safety distance front (non-combustible materials)	500
	Safety distance front (combustible materials)	500
	Safety distance right side (combustible materials)	400
	Safety distance right side non-combustible materials	100
	Safety distance left side (combustible materials)	400
	Safety distance left side non-combustible materials	100
Safety distance behind (non-combustible materials)	100	

Technical details

Technical data	Type / attribute	WKLI20GESM
	Safety distance behind (combustible materials)	380
	Safety distance (Ceiling)	1265
	Room min. height(depends on connections and therefore from output, star/delta)	2100